


CommPro™ Software

A COMPLETE SOFTWARE TOOLSET FOR INTUICOM FHSS NETWORKS

CommPro™ Software provides a single application that brings together a complete toolset to assist in designing, configuring, monitoring, and optimizing your Intuicom wireless solutions which use FHSS (Frequency Hopping Spread Spectrum) radios. Designed to simplify the work and reduce effort involved in all aspects of implementing your wireless applications, going from the box to the field has never been easier.

The image displays four screenshots of the CommPro software interface:

- Radio Configuration:** Shows a detailed configuration window for a 900 MHz Communicator II/T/OEM, including parameters like Frequency, Modem, and Power.
- New Radio Configuration:** A dialog box for selecting a radio model and optional template, listing various system configurations like Econolite-Central System and PEEK Closed Loop.
- Multipoint Network Diagnostics:** A network monitoring window showing a list of radios, their status, and a graph of signal strength over time.
- Spectrum Analyzer:** A window showing a real-time frequency spectrum plot with signal peaks and a frequency range from 900.0 to 900.6 MHz.



KEY BENEFITS

- Easier, more intuitive than ever
- Compatible with Intuicom FHSS Wireless Products
 - o Serial and contact closure
 - o 900 MHz and 2.4 GHz
- Quick and Easy Setup
 - o Prebuilt radio drivers for traffic controller applications
 - o Supports Econolite, Siemens, PEEK, Eagle, Bitrans, Wapiti, & more
- Configuration files in PDF format
 - o Store and view radio configurations in user-friendly format
- Network-Wide Diagnostics
 - o Obtain real-time performance criteria
 - Noise levels
 - Signal strength
 - Received data rate
- Spectrum Analyzer
 - o Real-time analysis of RF environments
- Remote Configuration
 - o Program radios through the wireless link